



ALL WHITE LOCKERS

- Anti bacterial powder coating - elite **GUARD**
- Robust steel construction, 0.7 - 0.9mm steel thickness
- Welded frame design for extra strength
- Comprehensive locker accessories
- 4000 differ series key cam lock for added security
- Cloakroom equipment available
- Keyless locking options available
- UK manufactured products

These steel coloured lockers are manufactured to the highest specification.

Lockers are welded and riveted in construction. Semi concealed hinges are welded to the door and riveted to the frame, allowing easy replacement of doors. Doors are fixed within a rebated frame to enhance compartment security. Selected doors are reinforced with profiled steel sections. Top and bottom plinths are vented to create an airflow to assist with air changes.

The carcass incorporates nesting holes on all sides and a return flange at the base for extra strength and to reduce floor damage. Lockers are manufactured using CR4 and bright galvanised steel components. Material thickness specification 0.9mm doors and frame, 0.7mm carcass and shelves. Painted components are epoxy polyester powder coated prior to assembly to ensure all surfaces are protected. Nested lockers are manufactured with common sides. The materials used classifies this locker as a fire retardant product meeting the BS Class '0' rating.

ALL WHITE LOCKERS



Available colour options on selected products. Components are pre-treated with an iron-phosphate chemical process prior to a satin gloss epoxy polyester powder coating paint finish. Bespoke colour options available on application.



Direct deliveries to the end user or traders business address are included in the rrp pricing. Deliveries to commercial premises only, does not include deliveries to private addresses. Deliveries to kerbside only, nearest point of entry to the premises. Any delivery restrictions, e.g. size of vehicle, height and weight should be noted at time of order, extra charges will be incurred if a smaller/non-standard sized vehicle is necessary to complete the delivery. Redelivery charges will apply for a failed delivery. Specific day deliveries can be arranged for full vehicle loads only, extra charges may apply.



Components of products that feature an epoxy powder coated paint finish will incorporate an anti bacterial additive which is 99.9% effective against E.coli, MRSA and moulds for the life of the product. These products are ideally suited for use in the healthcare, food, pharmaceutical industries and in areas where hygiene is important.



Various products contain a mix of steel finishes and component thicknesses, the icon indicates the range of steel thicknesses used in the product.



Cloakroom island seating is supplied flat packed and will require assembly on site. Freestanding benches supplied assembled. Cloakroom lockers require assembly.



Tray storage cupboards will require the trays and runners to be loaded into the cupboard. Instruction guide will be included within the product packaging. The trays and runners are delivered separately from the cupboard.



100% manufactured in the UK. Steel sourced from UK steel stockholders. Locker components e.g. locks sourced outside of the UK.



Locker/Cupboard test sample components complied with the requirements for BS 'Class 0' surface, as defined in paragraph A13 (b) of approved document B, 'Fire Safety', to the building regulations 2000. The result of the tests to BS 476: Part 6:1989+A1: 2009 and BS 476: part 7: 1997, demonstrate that the products, as tested, complies with the requirements for 'Class 0'.



Lockers are manufactured with an air-flow venting system incorporated in the top and bottom locker plinth.


elite

all white lockers

- Anti bacterial powder coating RAL 9010
- Robust steel construction
- All components powder coated
- Keyless locking options




Popular locker accessories...




Seat & Stand

See page
22



Sloping Top
Factory Fitted

See page
22



Stand

See page
23



Combination
Lock

See page
22

all white lockers 300mm deep

PRODUCT CODE	SIZE H x W x D mm	DESCRIPTION
1830301W	1800 x 300 x 300	one door
1830302W	1800 x 300 x 300	two door
1830303W	1800 x 300 x 300	three door
1830304W	1800 x 300 x 300	four door
1830305W	1800 x 300 x 300	five door
1830306W	1800 x 300 x 300	six door
1830308W	1800 x 300 x 300	eight door

all white lockers 450mm deep

PRODUCT CODE	SIZE H x W x D mm	DESCRIPTION
1830451W	1800 x 300 x 450	one door
1830452W	1800 x 300 x 450	two door
1830453W	1800 x 300 x 450	three door
1830454W	1800 x 300 x 450	four door
1830455W	1800 x 300 x 450	five door
1830456W	1800 x 300 x 450	six door
1830458W	1800 x 300 x 450	eight door

Locker accessories supplied in RAL 9010.

Important factors to consider on locker room design and choice of locker.

The size and choice of the locker compartment type will be determined by the items to be stored e.g. the need to hang garments, size of bags/ holdalls, the storage of motor cycle helmets and footwear etc. There may be a need to keep workwear separately from personal clothing.

If hygiene is important consider a factory fitted sloping top option on lockers. This prevents an unwanted build up of dirt and debris and also encourages storage within the locker and not on top of the locker. Locker stands will raise the locker off the floor to provide cleaning access and clear of harmful floor cleaning chemicals.

In dry changing room environments lockers can be floor mounted. In wet areas it is important to raise the locker off the floor using locker stands.


Check floor surfaces are level, lockers are designed to be floor standing. To overcome uneven floors locker stands are supplied with adjustable feet.

If users are changing footwear, it would be useful to offer bench seating or an integral seat and stand option.

If there is a need to air damp clothing - then consider lockers where compartments are big enough to hang garments. Also consider perforated holes in doors to increase air circulation.

Consider the type of lock carefully, the choices are.... key cam lock, padlock type fitting, £1 coin return or token return lock, 4 digit combination locks and electronic rfid locks. Remember during installation to database keys to a locker compartment for easier key management.

Consider additional locker accessories, e.g. hanging rail, vinyl numbering, extra keys, master keys etc.



Is there a need for locker compartments to be visually monitored? vision panel doors allow inspection from outside of the locker.

Finally, it is important to consider the factors relating to the delivery of lockers and their installation e.g. how best to manage the removal of old lockers and the contents of the compartments, delivery access – vehicle size restrictions, can the installation be carried out during normal working hours. The availability of suitable handling and lifting equipment, remembering nested lockers are more difficult to handle than single lockers.

General Information


Metal lockers are not intended for use in damp or wet areas. Under the Workplace (Health, Safety and Welfare regulations 1992) employers are required to provide suitable and sufficient accommodation for workwear and personal clothing. The Personal Protective Equipment at work regulations 1992 also require the provision of suitable storage to protect personal protective equipment from damage, contamination or loss.

single door lockers




- A 270/1410h x 235w x 275d
- B 270/1410h x 235w x 425d
- C 270/1410h x 385w x 425d

two door lockers



- A 835h x 235w x 275d
- B 835h x 235w x 425d
- C 835h x 385w x 425d

three door lockers




- A 540h x 235w x 275d
- B 540h x 235w x 425d
- C 540h x 385w x 425d

four door lockers




- A 400h x 235w x 275d
- B 400h x 235w x 425d
- C 400h x 385w x 425d

five door lockers




- A 310h x 235w x 275d
- B 310h x 235w x 425d

six door lockers



- A 260h x 235w x 275d
- B 260h x 235w x 425d

eight door lockers








- A 185h x 235w x 275d
- B 185h x 235w x 425d



web: www.lockersonline.co.uk
 tel: 01244 940751
 email: support:lockersonline.co.uk

elite

seats and stands



elite

locker stands

